

## PUBLIC WASHROOM AND HYGIENE SOLUTIONS SERIES

### SENSOR TAPS



**SR 502A/B**  
Infra-red (IR) Sensor  
Water-efficient models:  
SR 502A-W and SR 502B-W



**SR 503A/B**  
Infra-red (IR) Sensor  
Water-efficient models:  
SR 503A-W and SR 503B-W



**SR 803A/B**  
Infra-red (IR) Sensor  
Water-efficient models:  
SR 803A-W and SR 803B-W

### MANUAL SELF-CLOSING BASIN TAPS



**DE 101**  
Delayed Action Self  
Closing Basin Tap  
Water-efficient model:  
DE 101-W



**DE 108**  
Delayed Action Self  
Closing Basin Tap  
Water-efficient model:  
DE 108-W



**DE 110**  
Delayed Action Self  
Closing Basin Tap



**DE 109**  
Delayed Action Self  
Closing Basin Tap

### MANUAL SELF-CLOSING BASIN TAPS / BIB TAP



**DE 111**  
Delayed Action Self  
Closing Basin Tap  
Water-efficient model:  
DE 111-W



**DE 113**  
Water-efficient model:  
DE 113-W



**DE 102**  
Delayed Action Self  
Closing Bib Tap

### MANUAL SELF-CLOSING VALVES



**DE 103**  
Delayed Action  
Concealed Self  
Closing Valve



**DE 600FT**  
Foot Operated Valve



**IR 0116**  
Heavy Duty  
Wall Mounted Spout



**IR 0115**  
Heavy Duty  
Pillar Mounted Spout

### SENSOR URINAL FLUSH VALVES



**SR 700**  
Box Type Install in solid wall  
≥ 100mm thick  
Water-efficient model:  
SR 700-W



**SR 701 (N)**  
Box Type install in solid wall  
≥ 100mm thick  
Water-efficient model:  
SR 701(N)-W



**SR 702**  
Box Type - Suitable for  
installation in solid wall  
≥ 100mm thick



**SR 703**  
Exposed Sensor Urinal Flush  
Valve  
(minimum order quantity  
required)



**SR 150R**  
Recessed Box Type Sensor  
Urinal Flush  
Installation in solid wall ≥  
100mm thick  
Water-efficient model:  
SR 150R-W



**SR 200V**  
Recessed Box Type Sensor  
Urinal Flush  
Installation in solid wall ≥  
100mm thick  
Water-efficient model:  
SR 200V-W

### MANUAL URINAL FLUSH VALVES



**DE 100B**  
Water-efficient models:  
DE 100B-W and DE  
100S-W



**DE 105**  
Duct Type  
Water-efficient model:  
DE 105-W



**DE 105P**  
Duct Type  
Water-efficient model:  
DE 105P-W



**DE 105F**  
Duct Type  
Water-efficient model:  
DE 105F-W

\*Also available with straight pipe - DE 100S

\*5/8" Urinal spud and flush pipe are optional

### MANUAL WC FLUSH VALVES



**DE 600**  
(DE 600T - Low  
pressure model)  
Water-efficient model:  
DE 600-W



**DE 600FP**  
Foot Pedal Activation  
(DE 600TFP - Low  
pressure model)  
Water-efficient model:  
DE 600FP-W



**DE 601**  
Duct Type - Servicing  
from duct or top  
access panel  
Water-efficient model:  
DE 601-W



**DE 605P**  
Duct Type -  
Servicing from duct  
or top access panel  
Water-efficient model:  
DE 605P-W

## PUBLIC WASHROOM AND HYGIENE SOLUTIONS SERIES

### MANUAL WC FLUSH VALVES



**DE 602**  
Dual Flush -3/6 Litres  
- operating pressure  
0,7 - 4,0bars  
Water-efficient  
models: SR 602-W



**DE 603**  
(Right Hand Push  
Activation)  
Box Type  
- Suitable for solid  
wall ≥ 150mm thick



**DE 605F**  
Box Type  
- Suitable for solid  
wall ≥ 150mm thick



**SPUD FOR WC**  
1 1/2" Chrome Plated  
Spud For WC



**SPUD FOR URINAL**  
5/8" Chrome Plated  
Spud For Urinal



**K5034 & K301D**  
Concealed Dual Flush  
Cistern  
Water-efficient model:  
K5034 & K301D-W



**DE 701**  
Concealed Duct Type  
Manual WC Dual Flush  
Valve - Suitable for solid  
wall ≥ 150mm thick  
Water-efficient model:  
DE 701-W



**SR 900**  
Box Type - Suitable for  
installation in solid wall ≥  
150mm thick  
Water-efficient model:  
SR 900-W



**SR 902 (N)**  
Recessed Box Type  
- Suitable for installation in  
solid wall ≥ 150mm thick  
Water-efficient model:  
SR 902-W



**SR 903**  
Box Type  
- Recommended for retrofit -  
replacing existing manual  
flush valves



**SR 190R**  
Recessed Box Type Sensor  
WC Flush Valve  
Water-efficient model:  
SR 190R-W (4,5L/flush)



**SR 260V**  
Recessed Box Type Sensor  
WC Flush Valve  
Water-efficient model:  
SR 260V-W (4,5L/flush)



**IP 8802**  
Mixing Valve  
- Thermostat controlled for  
constant temperature

## HOSPITAL SERIES - MEDLAB / MZ

### WALL AND PILLAR MOUNTED MIXER



**ML 88**  
Wall mounted  
mixer with  
Careguard®



**ML 11**  
Wall mounted  
mixer with  
Careguard®



**ML 12**  
Pillar mounted  
mixer with  
Careguard®



**ML 11H**  
Wall mounted  
mixer with  
Careguard®



**ML 12H**  
Pillar mounted  
mixer with  
Careguard®



**ML 116**  
Sink Tap  
with Careguard®

### PILLAR, BIB AND HOSE BIB TAPS



**ML 44**  
Wall mounted  
mixer  
with Careguard®



**ML 30**  
Basin Tap  
with Careguard®



**ML 36**  
Bib Tap  
with Careguard®



**ML 56**  
Hose Bib Tap



**89MM  
EXTENSION  
PIECE**  
1/2" Chrome-plated  
brass extension  
piece (M+F),  
available in 2", 3"  
& 4" lengths



**MZ 30**  
Basin Tap



**MZ 60R**  
Basin Tap  
Water-efficient  
model:  
MZ 60R-W



**MZ 80**  
Basin Tap  
Water-efficient  
model:  
MZ 80-W



**MZ 36**  
Bib Tap



**MZ 36W**  
Water-efficient  
model  
1/2" bib tap with  
175mm handle



**MZ 56**  
Hose Bib Tap



**MZ 115**  
Sink Tap  
Water-efficient  
model:  
MZ 115-W

### THERMOSTATIC MIXERS



**MLT 228**  
Dual handle  
wall-mounted  
thermostatic bath  
& shower mixer



**MLT 258**  
Dual handle  
wall-mounted  
thermostatic  
shower mixer



**Ø38mm  
Deluxe  
chrome-plated  
stainless steel  
bottle trap**



**Ø38mm  
chrome-plated  
brass unslotted  
grated waste**



**Ø32mm  
chrome-plated  
brass 'P' trap**



**Ø38mm  
chrome-plated  
brass 'P' trap**



**Ø32mm chrome-plated  
brass bottle trap**



**Ø32mm deluxe  
chrome-plated  
stainless steel  
bottle trap**



**Ø32mm chrome-plated  
brass unslotted  
grated waste**



**Ø32mm chrome-plated  
brass slotted  
waste, plug  
and chain**



**Ø32mm chrome-plated  
brass unslotted  
grated waste**

**HOSPITAL**

**HOSPITAL SINKS AND ACCESSORIES**



- Surgeon Sink & Sinks / Troughs
- Chair / ICU / Lab Sinks
- Flange Sinks
- Lab Floppers
- Easy Lift
- Chemist's Sinks
- Specimen Pass Through Box

Sinks available in stainless steel grade 304/316

All sinks are available in stainless steel grade 304/316 and can be customised

**BN 1402**  
Blow Operated Soap Dispenser

**BN 1503FT**  
Foot Operated Soap Dispenser

**EMS 2188S**  
Emergency Shower

**PRISON / LOCK-UP SERIES - VANDAL-RESISTANT**

**VANDAL-RESISTANT STAINLESS STEEL WC SQUATTING PAN**



**DC 803VC**  
Overseas press, stainless design, lined with brass flushing nozzle



**DC 803VC**  
Design with rim



Brass flushing nozzle

Stainless steel trap CIP or 1" trap sold separately

**VANDAL-RESISTANT PUSH BUTTON WC FLUSH VALVE**



**DE 801PB**  
(shaft length 200 ± 5mm)

**VANDAL-RESISTANT PALM PRESS WC FLUSH VALVE**



**DE 800PP**  
(shaft length 200 ± 5mm)

**VANDAL-RESISTANT RETRACTABLE SECT**



**QT 79 CORAL**  
Handheld bidet

**VANDAL-RESISTANT STAINLESS STEEL FLOOR TRAPS**



**FGT 120 SS**  
Size: 120 x 120mm  
Vandal resistant stainless steel floor trap

**VANDAL-RESISTANT SHOWER ROSE**



**DM 92 PR**  
(shaft length: 200 ± 5mm)

**VANDAL-RESISTANT SHOWER ROSE**



**DM 92 PRX**  
(shaft length: 300 ± 5mm)

**VANDAL-RESISTANT SHOWER MODULES**



**DC 300 PB**  
(shower on top) (shaft length: 200 ± 5mm)



**DC 300 PBP**  
(flush valve on top) (shaft length: 200 ± 5mm)



**DC 300 PRX**  
(shower on top) (shaft length: 300 ± 5mm)



**DC 182 PB**  
(shaft length: 200 ± 5mm)



**DC 182 PRX**  
(shaft length: 300 ± 5mm)



**DC 180 PBP**  
(shaft length: 200 ± 5mm)

**DC 180 PRX**  
(shaft length: 300 ± 5mm)

**BASIC SERIES**

**ROUGH BRASS**



**BT 312**  
Rough brass lift tap with Tee handle

**BT 312A**  
Rough brass lift tap with Tee handle

**MB 32**  
1/2" lift tap, rough brass with Tee handle

**BC 342**  
1/2" Rough brass stop cock with Tee handle

**BBK 342**  
1/2" Rough brass stop cock with Tee handle

**BC 342**  
1/2" Rough brass stop cock with Tee handle

**ELBOWLINE TAPS**

**LABORATORY TAPS**



**DE 88**  
1/2" Elbowline pillar tap

**DE 301**  
Single way ball tap

**DE 302**  
Two way ball tap

**DE 303**  
Three way ball tap

**DE 303 W/NO**  
Three way ball tap (white)

**VENUS SERIES**

**WALL / CEILING RAIN SHOWERS**



**VE 101**  
Ball joint shower (120mm) with arm

**VE 102**  
Ball joint shower (200mm) with arm

**VE 103**  
Ball joint shower (200mm) with arm

**VE 204S**  
Chromeplate brass square 200mm shower rose with 200mm straight shower arm (engineering only). Working pressure: min. 0.5 bar. Other Options: Vandal resistant version (VE 104)

**ESTIVO SERIES - ECO FRIENDLY/LOW PRESSURE - FIXED SHOWERS**



**EST 300S**  
Midrange showerhead (2 mode)  
Water-efficient model  
EST 300S-V

**EST 300S M**  
Midrange showerhead (2 mode)  
Water-efficient model  
EST 300SM-V

**EST 400S**  
Midrange showerhead (3 mode)  
Water-efficient model  
EST 400S-V

**EST 400S M**  
Midrange showerhead (3 mode)  
Water-efficient model  
EST 400SM-V



**EST 3300C**  
Water-efficient (6L/min) patented technology shower head providing gentle shower experience by mixing air/water



**EST 250 XL Quadra (Wall Arm) / EST 250 XL Quadra (Ceiling Arm)**  
250mm ultra slim square Water-efficient model  
EST 250L-W



**EST 250 XL Techno (Wall Arm) / EST 250 XL Techno (Ceiling Arm)**  
250mm ultra slim round Water-efficient model  
EST 250L-W

**HAND SHOWER WITH RAILS**



**EST 1304**  
Single-spray mode hand shower Water-efficient model  
EST 1304-V

**EST 2518**  
Single-spray mode hand shower Water-efficient model  
EST 2518-W

**EST 1304 M**  
2-spray mode hand shower Water-efficient model  
EST 1304M-W

**EST 2508 M**  
2-spray mode hand shower Water-efficient model  
EST 2508M-W



**EST 1304E**  
Water-efficient (6L/min) patented technology handshower for gentle shower experience by mixing air/water



**7528**  
3-mode hand shower



**7527**  
3-mode hand shower



**ART 2840**

**NEW IMPORTED SERIES HAND SHOWER WITH RAILS**



**1440A**  
1-mode hand shower

**1460A**  
2-mode hand shower

**8220A**  
3-mode hand shower

**1706A**  
4-mode hand shower

**4850B**  
CLOC LED hand shower

**FIXED SHOWERS**



**502A**  
1-mode ball joint shower with arm

**6820A**  
1-mode shower with arm

**6820B**  
2-mode shower with arm

**3502A**  
2-mode shower with arm

**61 681C**  
1-mode shower with arm



**61 382D**  
4-mode shower with arm



**61 5890**  
CLOC LED shower head with shower arm 55"



**SHD 1200**  
Automatic Hand dryer



Heavy duty aluminium casing Zero-suspended



**SOLOMON**

**CAT SERIES**

**FIXED SHOWERS**



**CAT 11**  
3-mode ball joint shower with arm

**CAT 12**  
4-mode ball joint shower with arm

**CAT 13**  
4-mode ball joint shower with arm

**CAT 14**  
Ball joint shower (62mm) with arm

**CAT 15**  
Ball joint (male shower (58mm) with arm



**CAT 26**  
Ball joint female shower (30mm) with arm



**CAT 28**  
Ball joint shower (30mm) with arm




**CAT 36**  
Ball joint shower (30mm) with arm



**CAT 32**  
Fully adjustable shower (30mm) with arm



**KITCHEN SERIES — CHEFLINE****ALUMINIUM KITCHEN SINKS (minimum order quantity required)**

**CF 3018A**  
Single Bowl, Single Drainer  
762mm x 460mm  
(30" x 18")




**CF 3618A**  
Single Bowl, Single Drainer  
915mm x 460mm  
(36" x 18")




**CF 4218A**  
Single Bowl, Single Drainer  
1067mm x 460mm  
(42" x 18")

\*All aluminium sinks are with thickness of 1.0mm, supplied with standard 40mm wastewater outlet, plug & chain.

**STAINLESS STEEL KITCHEN SINKS - LAY-ON (minimum order quantity required)**


**CF 3018SS**  
Single Bowl, Single Drainer  
762mm x 460mm  
(30" x 18")



**CF 3618SS**  
Single Bowl, Single Drainer  
915mm x 460mm  
(36" x 18")




**CF 4218SS**  
Single Bowl, Single Drainer  
1067mm x 460mm  
(42" x 18")




**CF 4220SS**  
Single Bowl, Single Drainer  
1067mm x 508mm  
(42" x 20")



**CF 6020SS**  
Single Centre Bowl, Double Drainer  
1525mm x 500mm  
(60" x 20")




**CF 6020SSDEBSD**  
Double End Bowl, Single Drainer  
1525mm x 500mm  
(60" x 20")



**CF 6020SSDBDD**  
Double Bowl, Double Drainer  
1525mm x 500mm  
(60" x 20")




**CF 7220SSDBDD**  
Double Bowl, Double Drainer  
1830mm x 500mm  
(72" x 20")

**STAINLESS STEEL KITCHEN SINKS - IN-SET (minimum order quantity required)**

**CF 3018I**  
Single Bowl, Single Drainer  
762mm x 460mm  
(30" x 18")



**CF 3618I**  
Single Bowl, Single Drainer  
915mm x 460mm  
(36" x 18")



**CF 4218I**  
Single Bowl, Single Drainer  
1067mm x 460mm  
(42" x 18")



**CF 6020I**  
Single Centre Bowl, Double Drainer  
1525mm x 500mm  
(60" x 20")



**CF 6020IDEBSD**  
Double End Bowl, Single Drainer  
1525mm x 500mm  
(60" x 20")



**CF 6020IDBDD**  
Double Bowl, Double Drainer  
1525mm x 500mm  
(60" x 20")

\*All stainless steel sinks are with thickness of 0.5mm, supplied with standard 40mm wastewater outlet, plug & chain.

**CUSTOMIZED MIRRORS****UNFRAMED MIRROR****FRAMED MIRROR****TILTED MIRROR****ADJUSTABLE TILTED MIRROR****Options:**

- Flat/Bevel Edge
- Dome Head/Flat Screw

- Aluminum/Stainless Steel Frame
- Safety Film

- Angle/Channel Type Frame (For Aluminum)
- Waterproof Plywood Backing

**MIRROR — FIRENZI SERIES**

**FM1000**  
Decorative sandblasted mirror  
— Sea Shell



**FM2000**  
Decorative sandblasted mirror  
— Tulip



**FM3000**  
Double line crystal mirror  
— Oval



**FM4000**  
Double line crystal mirror  
— Semi Rounded Rectangle

\* All Firenzi models are 445mm x 585mm x 4mm