



BATHROOM SOLUTIONS (ACCESSORIES)



PUBLIC WASHROOM AND HYGIENE SOLUTIONS SERIES

SENSOR TAPS



SR 502A/B
Infra-red (IR) Sensor
Water-efficient models:
SR 502A-W and SR 502B-W



SR 503A/B
Infra-red (IR) Sensor
Water-efficient models:
SR 503A-W and SR 503B-W



SR 803A/B
Infra-red (IR) Sensor
Water-efficient models:
SR 803A-W and SR 803B-W

MANUAL SELF-CLOSING BASIN TAPS



DE 101
Delayed Action Self
Closing Basin Tap
Water-efficient model:
DE 101-W



DE 108
Delayed Action Self
Closing Basin Tap
Water-efficient model:
DE 108-W



DE 110
Delayed Action Self
Closing Basin Tap



DE 109
Delayed Action Self
Closing Basin Tap

MANUAL SELF-CLOSING BASIN TAPS / BIB TAP



DE 111
Delayed Action Self
Closing Basin Tap
Water-efficient model:
DE 111-W



DE 113
Water-efficient model:
DE 113-W



DE 102
Delayed Action Self
Closing Bib Tap

MANUAL SELF-CLOSING VALVES



DE 103
Delayed Action
Concealed Self
Closing Valve



DE 600FT
Foot Operated Valve



IR 0116
Heavy Duty
Wall Mounted Spout



IR 0115
Heavy Duty
Pillar Mounted Spout

SENSOR URINAL FLUSH VALVES



SR 700
Box Type Install in solid wall
≥ 100mm thick
Water-efficient model:
SR 700-W



SR 701 (N)
Box Type install in solid wall
≥ 100mm thick
Water-efficient model:
SR 701(N)-W



SR 702
Box Type - Suitable for
installation in solid wall
≥ 100mm thick



SR 703
Exposed Sensor Urinal Flush
Valve
(minimum order quantity
required)



SR 150R
Recessed Box Type Sensor
Urinal Flush
Installation in solid wall ≥
100mm thick
Water-efficient model:
SR 150R-W



SR 200V
Recessed Box Type Sensor
Urinal Flush
Installation in solid wall ≥
100mm thick
Water-efficient model:
SR 200V-W

MANUAL URINAL FLUSH VALVES



DE 100B
Water-efficient models:
DE 100B-W and DE
100S-W



DE 105
Duct Type
Water-efficient model:
DE 105-W



DE 105P
Duct Type
Water-efficient model:
DE 105P-W



DE 105F
Duct Type
Water-efficient model:
DE 105F-W

*Also available with straight pipe-DE 100S

*5/8" Urinal spud and flush pipe are optional

MANUAL WC FLUSH VALVES



DE 600
(DE 600T - Low
pressure model)
Water-efficient model:
DE 600-W



DE 600FP
Foot Pedal Activation
(DE 600TFP - Low
pressure model)
Water-efficient model:
DE 600FP-W



DE 601
Duct Type - Servicing
from duct or top
access panel
Water-efficient model:
DE 601-W



DE 605P
Duct Type - Servicing
from duct or top
access panel
Water-efficient model:
DE 605P-W

PUBLIC WASHROOM AND HYGIENE SOLUTIONS SERIES

MANUAL WC FLUSH VALVES



DE 602
Dual Flush -3/6 Litres
- operating pressure
0,7 - 4,0bars
Water-efficient
models: SR 602-W



DE 603
(Right Hand Push
Activation)
Box Type
- Suitable for solid
wall ≥ 150mm thick



DE 605F
Box Type
- Suitable for solid
wall ≥ 150mm thick



SPUD FOR WC
1 1/2" Chrome Plated
Spud For WC



SPUD FOR URINAL
5/8" Chrome Plated
Spud For Urinal



K5034 & K301D
Concealed Dual Flush
Cistern
Water-efficient model:
K5034 & K301D-W



DE 701
Concealed Duct Type
Manual WC Dual Flush
Valve - Suitable for solid
wall ≥ 150mm thick
Water-efficient model:
DE 701-W



SR 900
Box Type - Suitable for
installation in solid wall ≥
150mm thick
Water-efficient model:
SR 900-W



SR 902 (N)
Recessed Box Type
- Suitable for installation in
solid wall ≥ 150mm thick
Water-efficient model:
SR 902-W



SR 903
Box Type
- Recommended for retrofit -
replacing existing manual
flush valves



SR 190R
Recessed Box Type Sensor
WC Flush Valve
Water-efficient model:
SR 190R-W (4,5L/flush)



SR 260V
Recessed Box Type Sensor
WC Flush Valve
Water-efficient model:
SR 260V-W (4,5L/flush)



IP 8802
Mixing Valve
- Thermostat controlled for
constant temperature

HOSPITAL SERIES - MEDLAB / MZ

WALL AND PILLAR MOUNTED MIXER



ML 88
Wall mounted
mixer with
Careguard®



ML 11
Wall mounted
mixer with
Careguard®



ML 12
Pillar mounted
mixer with
Careguard®



ML 11H
Wall mounted
mixer with
Careguard®



ML 12H
Pillar mounted
mixer with
Careguard®



ML 116
Sink Tap
with Careguard®

PILLAR, BIB AND HOSE BIB TAPS



ML 44
Wall mounted
mixer
with Careguard®



ML 30
Basin Tap
with Careguard®



ML 36
Bib Tap
with Careguard®



ML 56
Hose Bib Tap



**89MM
EXTENSION
PIECE**
1/2" Chrome-plated
brass extension
piece (M+F),
available in 2", 3"
& 4" lengths



MZ 30
Basin Tap



MZ 60R
Basin Tap
Water-efficient
model:
MZ 60R-W



MZ 80
Basin Tap
Water-efficient
model:
MZ 80-W



MZ 36
Bib Tap



MZ 36W
Water-efficient
model
1/2" bib tap with
175mm handle



MZ 56
Hose Bib Tap



MZ 115
Sink Tap
Water-efficient
model:
MZ 115-W

THERMOSTATIC MIXERS



MLT 228
Dual handle
wall-mounted
thermostatic bath
& shower mixer



MLT 258
Dual handle
wall-mounted
thermostatic
shower mixer



**Ø38mm
Deluxe
chrome-plated
stainless steel
bottle trap**



**Ø38mm
chrome-plated
brass unslotted
grated waste**



**Ø32mm
chrome-plated
brass 'P' trap**



**Ø38mm
chrome-plated
brass 'P' trap**



**Ø32mm chrome-plated
brass bottle trap**



**Ø32mm deluxe
chrome-plated
stainless steel
bottle trap**



**Ø32mm chrome-plated
brass unslotted
grated waste**



**Ø32mm chrome-plated
brass slotted
waste, plug
and chain**



**Ø32mm chrome-plated
brass unslotted
grated waste**

HOSPITAL

HOSPITAL SINKS AND ACCESSORIES



- Surgeon Sink & Sinks / Troughs
- Clinial / ICU / Lab Sinks
- Flayer Sinks
- Lab Floppers
- Easy Lift
- Clinician's Sinks
- Specimen Pass Through Box

Sinks available in stainless steel grade 304/316

All sinks are available in stainless steel grade 304/316 and can be customised

BN 1402
Blow Operated Soap Dispenser

NEW
BB 1303FT
Foot Operated Soap Dispenser

EMS 2188S
Emergency Shower

PRISON / LOCK-UP SERIES - VANDAL-RESISTANT

VANDAL-RESISTANT STAINLESS STEEL WC SQUATTING PAN



DC 802VC
Overseas press, stainless design, lined with brass flushing nozzle



DC 802VC
Design with rim



Brass flushing nozzle

Stainless steel trap CIP or 1/2" trap sold separately

VANDAL-RESISTANT PUSH BUTTON WC FLUSH VALVE



DE 801PB
(shaft length: 200 ± 5mm)

DE 801PBK
(shaft length: 200 ± 5mm)

VANDAL-RESISTANT PALM PRESS WC FLUSH VALVE



DE 800PP
(shaft length: 200 ± 5mm)

DE 800PPK
(shaft length: 200 ± 5mm)

VANDAL-RESISTANT RETRACTABLE SECT



QT 79 CORAL
Handheld hose

VANDAL-RESISTANT STAINLESS STEEL FLOOR TRAPS



FGT 120 SS
Size: 120 x 120mm
Vandal resistant stainless steel floor trap



PFT 120 SS
Size: 120 x 120mm
Cell stainless steel floor trap

VANDAL-RESISTANT SHOWER ROSE



DM 92 PR
(shaft length: 200 ± 5mm)

DM 92 PRK
(shaft length: 200 ± 5mm)

VANDAL-RESISTANT SHOWER MODULES



DC 300 PR
(shower on top) (shaft length: 200 ± 5mm)

DC 300 PRK
(shower on top) (shaft length: 200 ± 5mm)



DC 300 PRP
(flush valve on top) (shaft length: 200 ± 5mm)

DC 300 PRPK
(flush valve on top) (shaft length: 200 ± 5mm)



DC 182 PR
(shaft length: 200 ± 5mm)

DC 182 PRK
(shaft length: 200 ± 5mm)



DC 205 PR
(shaft length: 200 ± 5mm)

DC 205 PRK
(shaft length: 200 ± 5mm)



DC 180 PRP
(shaft length: 200 ± 5mm)

DC 180 PRPK
(shaft length: 200 ± 5mm)

BASIC SERIES

ROUGH BRASS



BT 312
Rough brass hot tap with Tee handle

BT 312A
Rough brass hot tap with Tee handle

MB 32
1/2" hot tap, rough brass with Tee handle

BC 342
1/2" Rough brass stop cock with Tee handle

BBK 342
1/2" Rough brass stop cock with Tee handle

BC 342
1/2" Rough brass stop cock with Tee handle

ELBOWLINE TAPS

LABORATORY TAPS



DE 88
1/2" Elbowline filler tap

DE 301
Single way hot tap

DE 302
Two way hot tap

DE 303
Three way hot tap

DE 303 W/NO
Three way hot tap (white)

VENUS SERIES

WALL / CEILING RAIN SHOWERS



VE 101
Ball joint shower (120mm) with arm

VE 102
Ball joint shower (200mm) with arm

VE 103
Ball joint shower (200mm) with arm

VE 204S
Chromeplate brass square 200mm shower rose with 200mm straight shower arm (engineering only). Working pressure: min. 0.5 bar. Other Options: Vandal resistant version (VE 104)

ESTIVO SERIES - ECO FRIENDLY/LOW PRESSURE - FIXED SHOWERS



EST 260S
Midrange showerhead (2 mode)
Water-efficient model: EST 260S-V

EST 260S M
Midrange showerhead (2 mode)
Water-efficient model: EST 260S-MV

EST 260S
Midrange showerhead (3 mode)
Water-efficient model: EST 260S-V

EST 260S M
Midrange showerhead (3 mode)
Water-efficient model: EST 260S-MV



EST 330SC
Water-efficient (6L/min) patented technology shower head providing gentle shower experience by mixing air/water



EST 250 XL Quadro
(Wall Arm) / **EST 250 XLK**
Quadro (Ceiling Arm) 250mm ultra slim square Water-efficient model: EST 250L-V



EST 250 XL Techno
(Wall Arm) / **EST 250 XLK**
Techno (Ceiling Arm) 250mm ultra slim round Water-efficient model: EST 250L-V

HAND SHOWER WITH RAILS



EST 1304
Single-spray mode hand shower Water-efficient model: EST 1304-V

EST 2518
Single-spray mode hand shower Water-efficient model: EST 2518-V

EST 1304 M
2-spray mode hand shower Water-efficient model: EST 1304M-V

EST 2518 M
2-spray mode hand shower Water-efficient model: EST 2518M-V



EST 1304E
Water-efficient (6L/min) patented technology handshower for gentle shower experience by mixing air/water



7528
3-mode hand shower



7527
3-mode hand shower



ART 2840

NEW IMPORTED SERIES HAND SHOWER WITH RAILS



1440A
1-mode hand shower

1460A
2-mode hand shower

8220A
3-mode hand shower

1706A
4-mode hand shower

4850B
CLOC LED hand shower

FIXED SHOWERS



502A
1-mode ball joint shower with arm

682A
1-mode shower with arm

682B
2-mode shower with arm

3502A
2-mode shower with arm

61 681C
1-mode shower with arm

NEW IMPORTED SERIES AUTOMATIC HANDHYDR



CAT SERIES



CAT 11
3-mode ball joint shower with arm

CAT 12
4-mode ball joint shower with arm

CAT 13
4-mode ball joint shower with arm

CAT 14
Ball joint shower (62mm) with arm

CAT 15
Ball joint (male shower (58mm) with arm



CAT 26
Ball joint female shower (30mm) with arm



CAT 28
Ball joint shower (30mm) with arm



CAT 36
Ball joint shower (30mm) with arm



CAT 32
Fully adjustable shower (30mm) with arm

DM SERIES
FIXED SHOWERS



DM 93 Water shower (3mm)
DM 92 Handshower shower (3mm)
DM 73 3/4" joint shower (35mm) with arm
DM 75A 3/4" joint shower (35mm) with arm
DM 750 3/4" joint shower with arm
DM 75C 3/4" joint shower with arm



DM 71 3/4" joint shower with arm
DM 74 Curved 3/4" joint shower with arm
DM 78 3/4" joint shower (30mm) with arm
DM 88 3/4" joint shower (30mm) with arm. Also available in **DM 88BK** with black back nut
DM 24 (M) 3/4" joint shower with arm
DM 18 (M)
DM 18 (F)
7" chrome plated brass arm

RAIN SHOWERS

OPTIONAL BRASS ARM

SERENGETTI
BATHROOM ACCESSORIES SERIES



SB 800S Automatic hand dryer
SB 800S Automatic hand dryer
SB 800S10 Sensor Soap Dispenser
SB 800S12 Sensor Soap Dispenser
SB 1512 Stainless steel auto roll holder (boxed)



SB 1825 Stainless steel grab bar
SB 1832 Stainless steel grab bar
SB 435 Stainless steel towel rack
SB 510 Stainless steel towel rack
SB 2502H Stainless steel detergent dispenser



SB 1501 Stainless steel detergent dispenser
SB 1501PS Deck mounted detergent dispenser
SB 1503 Stainless steel wall mounted roll holder
SB 1504 Stainless steel wall mounted double roll holder



SB 1509 Stainless steel wall mounted roll holder
SB 1514 Stainless steel wall mounted roll holder (boxed)
SB 1502 Stainless steel recessed lower holder
SB 388 Stainless steel mirror (wall mounted)



SB 1515 Toilet brush with door stopper
SB 1520 Toilet brush holder with glass cap
SB 1505 Soap holder with glass cap
SB 6324 Chrome plated brass corner basket

SET SB6000 CHROME-PLATED BRASS
ALSO AVAILABLE AS INDIVIDUAL PRICES



SB 6851 Toilet roll holder with cover
SB 6032 Double toothbrush holder
SB 6856 Soap holder
SB 6008 Towel ring
SB 602A Single towel rail (24" length)

FLOOR TRAPS




FT180PVC PVC floor trap 208mm x 180mm
FT150PVC PVC floor trap 158mm x 150mm
FT 10655 Stainless steel floor trap 208mm x 160mm
FT 15655 Stainless steel floor trap 158mm x 150mm
FGT 2505ST Durable stainless steel floor trap with anti-slip feature 250mm x 150mm
FGT 2505SW Durable stainless steel floor trap with anti-slip feature 250mm x 150mm

PDS SUPPORT - NYLON GRAB BARS



MODEL DM-8801-2 7" Shape Grab Bar, Size: 600mm x 700mm
MODEL DM-8805-1 Foldable 7" Shape Grab Bar, Size: 600mm x 700mm
MODEL DM-8808-1 7" Shape Grab Bar, Size: 600mm x 700mm
MODEL DM-8810-1 Straight Grab Bar, Size: 350mm
MODEL DM-8803 Foldable Shower Seat


PDS SUPPORT - ANTI-STATIC GRAB BARS
(also available in stainless steel)



MODEL DM-8808-2H Shower Holder (to be used with 7" Shape Grab Bar)
MODELS DM-2-2-A8000150, DM-2-2-A7000150
MODEL DM-2-2-A8000150
MODELS DM-4-0, DM-6-0, DM-8-0
MODEL DM-8-0



MODEL DM-6-3 A7000150/555
MODEL DM-7-3 A7000150/150
MODELS DM-8-3, DM-9-3, DM-10-3
MODEL DM-8-3 A2300180/350
MODEL DM-9-3 A7000150/900150



MODEL DM-13-3 A7000150/30
MODEL DM-12-A8000150
MODELS DM-12-A8000150, DM-12-A7000150, DM-12-A6000150, DM-12-A5000150
MODELS DM-12-A8000150, DM-12-A7000150

SERENGETTI PUBLIC WASHROOM SERIES (stainless steel)



MODEL DM-15-4 A8000150/200/200
MODEL DM-14-A8000150/200, DM-14-A8000150/200
MODELS DM-14-A8000150/200, DM-14-A7000150/200, DM-14-A6000150/200, DM-14-A5000150/200
SB 5001 Paper towel dispenser, waste receptacle and hand dryer (recessed)
SB 5003 Plastic receptacle (recessed)
SB 5004 Paper towel dispenser and waste receptacle (recessed)



SB 5005 Paper towel dispenser and waste receptacle (recessed)
SB 5006 Paper towel dispenser and waste receptacle (recessed)
SB 5007 Paper towel dispenser and waste receptacle (countertop)
SB 5008 Paper towel dispenser (recessed)
SB 5009 Paper towel dispenser and waste receptacle (recessed)
SB 5010 Paper towel dispenser, waste receptacle and hand dryer (recessed)
SB 5011 Paper towel dispenser (recessed)




SB 5012 Paper towel dispenser (recessed)
SB 5013 Napkin dispenser - recessed
SB 5004 Napkin dispenser - recessed
SB 5015 Waste receptacle
SB 5016 Round with 6 trash receptacle - 1L capacity
SB 5017 Round waste receptacle - 9L capacity
SB 5018 Waste receptacle - 18L capacity



SB 5019 Waste receptacle - 25L capacity
SB 5020 Waste receptacle - 7L capacity
SB 5021 Rect. waste receptacle - 45L capacity
SB 5022 Corner waste receptacle - 13L capacity

KITCHEN SERIES — CHEFLINE

ALUMINIUM KITCHEN SINKS (minimum order quantity required)



CF 3018A
Single Bowl, Single Drainer
762mm x 460mm
(30" x 18")




CF 3618A
Single Bowl, Single Drainer
915mm x 460mm
(36" x 18")



CF 4218A
Single Bowl, Single Drainer
1067mm x 460mm
(42" x 18")

*All aluminium sinks are with thickness of 1.0mm, supplied with standard 40mm wastewater outlet, plug & chain.

STAINLESS STEEL KITCHEN SINKS - LAY-ON (minimum order quantity required)




CF 3018SS
Single Bowl, Single Drainer
762mm x 460mm
(30" x 18")



CF 3618SS
Single Bowl, Single Drainer
915mm x 460mm
(36" x 18")




CF 4218SS
Single Bowl, Single Drainer
1067mm x 460mm
(42" x 18")




CF 4220SS
Single Bowl, Single Drainer
1067mm x 508mm
(42" x 20")



CF 6020SS
Single Centre Bowl, Double Drainer
1525mm x 500mm
(60" x 20")



CF 6020SSDEBSD
Double End Bowl, Single Drainer
1525mm x 500mm
(60" x 20")



CF 6020SSDBDD
Double Bowl, Double Drainer
1525mm x 500mm
(60" x 20")



CF 7220SSDBDD
Double Bowl, Double Drainer
1830mm x 500mm
(72" x 20")


STAINLESS STEEL KITCHEN SINKS - IN-SET (minimum order quantity required)



CF 3018I
Single Bowl, Single Drainer
762mm x 460mm
(30" x 18")



CF 3618I
Single Bowl, Single Drainer
915mm x 460mm
(36" x 18")



CF 4218I
Single Bowl, Single Drainer
1067mm x 460mm
(42" x 18")



CF 6020I
Single Centre Bowl, Double Drainer
1525mm x 500mm
(60" x 20")



CF 6020IDEBSD
Double End Bowl, Single Drainer
1525mm x 500mm
(60" x 20")



CF 6020IDBDD
Double Bowl, Double Drainer
1525mm x 500mm
(60" x 20")

*All stainless steel sinks are with thickness of 0.5mm, supplied with standard 40mm wastewater outlet, plug & chain.

CUSTOMIZED MIRRORS



UNFRAMED MIRROR



FRAMED MIRROR



TILTED MIRROR



ADJUSTABLE TILTED MIRROR

Options:

- Flat/Bevel Edge
- Dome Head/Flat Screw

- Aluminum/Stainless Steel Frame
- Safety Film

- Angle/Channel Type Frame (For Aluminum)
- Waterproof Plywood Backing

MIRROR — FIRENZI SERIES



FM1000
Decorative sandblasted mirror
— Sea Shell



FM2000
Decorative sandblasted mirror
— Tulip



FM3000
Double line crystal mirror
— Oval



FM4000
Double line crystal mirror
— Semi Rounded Rectangle

* All Firenzi models are 445mm x 585mm x 4mm