




ARCHITECTURAL STRUCTURE PRODUCTS



INTRODUCING PDS RANGE OF PRODUCTS



STRIP CEILING | S PROFILE

PDS100S, PDS150S, PDS200S, PDS300S, PDS400S, PDS450S



Panel Size

100mm/ 150mm/ 200mm effective width;
super flush with 12mm(W) x 5mm(D)

Thickness

0.4mm-0.5mm thick aluzinc panel
0.5mm-0.7mm thick aluminium panel

Other Available Panel Size

300mm/ 400mm/ 450mm effective width;
super flush with 12mm(W) x 20mm(D)

STRIP CEILING | G PROFILE

PDS100G, PDS150G, PDS200G, PDS300G, PDS400G, PDS450G



Panel Size

100mm/150mm/200mm effective width;
recess groove with 16mm(W) x 12mm(D)

Thickness


0.4mm-0.5mm thick aluzinc panel
0.5mm-0.7mm thick aluminium panel

Other Available Panel Size

300mm/ 400mm/ 450mm effective width;
recess groove with 26mm(W) x 20mm(D)

STRIP FACADE

PDS200S, PDS300S, PDS400S, PDS450S



Panel Size

200mm effective width; recess groove with 12mm(W) x 5mm(D)

Thickness


0.5mm thick aluzinc panel
0.5mm-0.7mm thick aluminium panel

Other Available Panel Size

300mm/ 400mm/ 450mm effective width;
recess groove with 12mm(W) x 20mm(D)

SUN LOUVRES | AEROFOIL

PDS150AF, PDS200AF, PDS333AF, PDS450AF



Panel Size


150mm/ 200mm/ 330mm/ 450mm effective width; aerofoil profile

Thickness

0.5mm-0.7mm thick aluminium panel

SUN LOUVRES | AEROPPOINT

PDS100AP, PDS200AP, PDS300AP



Panel Size
110mm/ 200mm/ 300mm effective width; aeropoint profile

Thickness
0.5mm-0.6mm thick aluminium panel

SUN LOUVRES | BOX LOUVRES

PDS50X15BL, PDS75X15BL, PDS100X20BL, PDS150X40BL, PDS200X50BL, PDS250X50BL, PDS300X50BL, PDS500X75BL



Panel Size
50mm x 15mm/ 75mm x 15mm/ 100mm x 20mm/
150mm x 40mm/ 200mm x 50mm/ 250mm x 50mm/
300mm x 50mm/ 500mm x 75mm rectangular shape profile panel

Thickness
0.5mm-1.0mm thick aluminium panel

SUN LOUVRES | VERTICAL

PDS85L, PDS85L/3V, PDS85L/4V, PDS85L/5V, PDS85L/7V



Panel Size
85mm effective width; vertical carrier

Thickness
0.4mm thick aluzinc panel
0.5mm thick aluminium panel

Available Carrier Angle
85L/3V - 25° ; 85L/4V - 45° ; 85L/5V - 90° ; 85L/7V - 66°

SUN LOUVRES | HORIZONTAL

PDS85L/2H



Panel Size
85mm effective width; horizontal carrier

Thickness
0.4mm thick aluzinc panel
0.5mm thick aluminium panel

VENTILATION LOUVRES | VERTICAL ALUMINIUM SUN LOUVRES

PDS80S



Panel Size
95mm effective width

Thickness
0.55mm thick aluminium panel

VENTILATION LOUVRES | VERTICAL ALUMINIUM SUN LOUVRES

PDS160S




Panel Size
170mm effective width

Thickness
0.65mm thick aluminium panel

VENTILATION LOUVRES | SEMI-ROUND PROFILE

PDS120SR



Panel Size
150mm effective width

Thickness
0.6mm / 0.7mm thick aluminium panel

VENTILATION LOUVRES | VENTILATION LOUVRES WITH VERTICAL BRACKET

PDS132Z



Panel Size
132mm effective width
recommended panel spacing at 140mm c/c

Thickness
0.4mm thick (gross wt: 7.5 kg/m²) aluzinc panel
0.5mm thick (gross wt: 5.3 kg/m²) aluminium panel

OPEN CEILING | BAFFLE CEILING

PDS50X15BC, PDS75X15BC, PDS100X20BC, PDS150X40BC, PDS200X50BC, PDS250X50BC, PDS300X50BC, PDS500X75BC



Panel Size

50mm x 15mm/ 75mm x 15mm/ 100mm x 20mm/
150mm x 40mm/ 200mm x 50mm/ 250mm x 50mm/
300mm x 50mm/ 500mm x 75mm rectangular
shape profile panel

Thickness

0.5mm-1.0mm thick aluminium panel

OPEN CEILING | SCREEN CEILING

PDS100SC, PDS200SC



Panel Size

100mm/ 200mm effective width; TJ shape panel profile

Thickness

0.4mm-0.5mm thick aluzinc panel
0.5mm-0.7mm thick aluminium panel

OPEN CEILING | TUBE CEILING

PDS50TC



Panel Size

38mm/ 50mm diameter effective width; tube profile

Thickness

0.5mm-0.7mm thick aluminium panel
0.4mm-0.5mm aluzinc panel

OPEN CEILING | CELL CEILING

PDS50H, PDS75H, PDS100H, PDS150H, PDS200H



Panel Size

50mm x 50mm/ 75mm x 75mm/ 100mm x 100mm/
150mm x 150mm/ 200mm x 200mm cell

Thickness

0.5mm thick aluminium panel

SQUARE TILE CEILING | LAY-IN | CLIP-IN PROFILE

PDSTX606C-1, PDSTX606C-2, PDSFX606E-1, PDSFX606E-2



Panel Size

600mm x 600mm square tile, lay into ceiling Tee
600mm x 600mm square tile, clip into triangle carrier

Thickness


0.7mm thick aluminium panel

Other Available Panel Size

300mm x 300mm square tile
600mm x 1200mm rectangular tile

CUSTOM MADE | PROFILE CEILING

CUSTOM MADE PROFILE CEILING



Panel Size


600mm effective maximum width

Thickness

0.4mm-0.5mm thick aluzinc panel
0.5mm-0.7mm thick aluminium panel

ROUND SCREEN CEILING

PDS150RS



Panel Size

100mm effective width x 20mm diameter

Thickness

0.6mm thick aluminium panel
Perforation panel with 2mm diameter and 4mm pitch



Member of

